Model Test Paper Computer Application (12th Class)

Time: 3 hours Theory: 60 Marks

Structure of Question Paper

- 1. There will be three sections of Question Paper (Part- A, Part- B, and Part- C).
- 2. In Part- A, there will be 3 Question from Question no. 1 to 3.
 - Question 1 will be of 8 (sub parts) Multiple choice type questions of one mark each.
 - Question 2 will be of 8 (sub parts) fill in the blanks type questions of one mark each.
 - Question 3 will be of 8 (sub parts) True/false or full form or shortcut key type questions of one mark each.
- 3. In Part -B, there will be 6 Questions from Question no 4 to 9, each question will be of 4 marks.
- 4. In Part –C, there will be 2 questions from Question no. 10 to 11, each question will be of 6 marks.
- 5. All questions of Part-A, Part-B, and Part-C are compulsory. However internal choice may be given in part-C.

PART - A

Q 1 Multiple Choice questions $1 \times 8 = 8$ 1. A software engineering concept, in which concepts are represented as "objects" is called_____. (a) Object Oriented(c) Concept oriented (a) Object Oriented (b) Class oriented (d) None of these 1 2. Every program in C++ has_____function, which is always called when your program first executes. (a) gets() (b) puts() (d) None of these 1 (c) main() 3. Reserved words called _____in C++ have predefined meaning to compiler. (a) Functions (b) classes (c) Keywords (d) Inheritance 1 **4.** A group of characters that logically belong together is called_____. (b) functions (a) Tokens (c) Objects (d) classes 1 **5.** Reserved memory locations to store values is called (a) Class (b) variable (d) Operator 1 (c) Constant **6.** A building block of a program is known as (a) Statement (b) Expression (c) Logic (d) Operator 1

symbol that tells the compiler to perform specific mathematical or

logical manipulations.

		(a) Operator (c) Operand	(b) Symbol (d) Statement	1	
	8	3. is used to alter the meaning of t	is used to alter the meaning of the base type so that it more precisely		
		needs of various situations. (a) Modifier	(b) Conversion		
		(c) Identifier	(d) Modular	1	
		` '	(-)		
	Q 2 Fill in the blanks			1 x 8 =8	
1.		grants operations common to both input a	nd output	1	
2.	C++ a	C++ allows at leastlevels of nesting A function is athat together perform a task.			
3.	A fund	that together perform a task.			
4.	Variat	Variables that are declared inside a function or block are			
Э.	. If a function returns a value, it must have astatement that specifies the value to return.				
2			alo.	1	
	. Thekeyword makes variable value stable			1	
7. B.	An array as aof the same type. An element in 2-dimensional array is accessed by using the			1	
•					
	Q 3 T	rue/ False		1 x 8 =8	
1.	Array subscript is the same as the index.				
	Array of strings in C++ is used to store a null terminated string which is not a character array. 1				
	Classes have no similarities with data structures.				
	An <i>object</i> is an instantiation of a class.				
	A static member function can only access static data member. 1 1 1				
		Member functions cannot be defined within the class definition. 1 Information must be relevant to basic purposes.			
		The connections (network links) between nodes cannot be established using wireless media. 1			
		PART –B	•	4 x 6 = 24	
	Q 4	What is an Identifier?		(4)	
	Q 5	What is conditional Expression?		(4)	
	Q 6	What is a function?		(4)	
	Q 7	What is subscript?		(4)	
	Q 8	Define encapsulation?		(4)	
	Q 9	•		(4)	
		PART - C		6 x 2 = 12	
	Q 10	Explain switch statement with example?		(6)	
		OR			
	What is nested loop? Give Example?				
	Q 11 What do you understand by the term Information Technology? Explain its need. OR			(6)	
		What are the advantages and disadvantages of	computer network?		
		***********	***********		